


Bondlabels


We have over 200 sizes in a variety of materials...




Clear Matt, Clear Gloss, Polylaser White

Green, Blue, Cream and Pink

Orange Fluorescent, Lemon Fluorescent, Flame Fluorescent and Green Fluorescent



Pearlescents: Jet Black, Ivory, Snow White, Turquoise, Fuchsia, Copper, Old Gold and Platinum



CONTENTS

PAGE 23

| FRONT COVER | |
|--------------------|-----------------------------------|
| INSIDE FRONT COVER | MATERIALS INFORMATION |
| PAGE 1 | CONTENTS |
| PAGE 2 | PRODUCT INFORMATION |
| PAGE 3 | ADDRESSING RANGE |
| PAGE 4 | SHIPPING & PARCELLING RANGE |
| PAGE 5 | MEDIA & FILING RANGE |
| PAGE 6 | CLIP RANGE CIRCLES |
| PAGE 7 | CLIP RANGE OVALS |
| PAGE 8 | CLIP RANGE RECTANGLES |
| PAGE 9 | CLIP RANGE RECTANGLES (CONTINUED) |
| PAGE 10 | CLIP RANGE SQUARES |
| PAGE 11 | D RANGE RECTANGLES |
| PAGE 12 | D RANGE CIRCLES |
| PAGE 13 | MRANGE |
| PAGE 14 | M RANGE (CONTINUED) |
| PAGE 15 | A RANGE SERIES 1 |
| PAGE 16 | A RANGE SERIES 1 (CONTINUED) |
| PAGE 17 | A RANGE SERIES 2 |
| PAGE 18 | A RANGE SERIES 2 (CONTINUED) |
| PAGE 19 | A RANGE SERIES 3 |
| PAGE 20 | BONDSPLIT AND DIGITAL SHEETS |
| PAGE 21 | MISCELLANEOUS SIZES |
| PAGE 22 | DIFFICULT SURFACE CHECKLIST |

ENVIRONMENTAL POLICY

BONDLABELS PRODUCTS

BODY PAPERS

WHITE OFFSET

LASER

COLOURS

FLUORESCENTS

GOLD & SILVER

LASERGLOSS

JETGLOSS

CLEAR

POLYESTER

- 68 GSM WOODFREE

- 68 GSM WOODFREE

- 68 GSM COLOURED WOODFREE

- 80 GSM COATED SURFACE

- 80 GSM METALLIC COATED

- 85 GSM CAST COATED WOODFREE PAPER

- 85 GSM SPECIAL COATED GLOSS FINISHED PAPER

- 56 GSM HEAT STABILIZED FILM

- 72 GSM HEAT STABILIZED POLYESTER FILM

ADHESIVES

OUR STANDARD PERMANENT HAS GOOD INITIAL TACK AND EXCELLENT ADHESIVE STRENGTH TO A WIDE VARIETY OF SUBSTRATES, AND HAS PERMANENCE IN THE RANGE -10° C TO +80° C. WHILST APPLICATION AT FAIRLY LOW TEMPERATURES WILL NOT AFFECT PERFORMANCE, LABELS COATED WITH THIS ADHESIVE MUST NOT BE APPLIED TO FROZEN SURFACES. NEITHER SHOULD THEY BE APPLIED TO ROUGH, DIRTY, OILY OR DUSTY SURFACES. ON PLASTIC SURFACES PERFORMANCE MAY NOT BE GOOD DUE TO THE PLASTCISERS USED CAUSING SOFTENING OF THE ADHESIVE. ALSO, EVEN ON GLASS, PERFORMANCE CAN BE POOR DUE TO MOULD RELEASE AGENTS USED IN THE MANUFACTURE OF BOTTLES OR CONTAINERS.

BONDLABELS PRODUCTS COATED WITH 'REMOVABLE' ADHESIVE CAN BE SUPPLIED AND ARE AVAILABLE IN WHITE OFFSET QUALITY ONLY.

SINCE SURFACE CHARACTERISTICS ARE A FACTOR IN ADHESION, IT IS ALWAYS ADVISABLE TO MAKE TESTS TO ASCERTAIN THE SUITABILITY OF THE ADHESIVE FOR A GIVEN APPLICATION. TO BE SURE, THE FINAL USER SHOULD CHECK FIRST BEFORE COMMITTING THEMSELVES TO OVERPRINTING. WE GUARENTEE NOTHING AS FAR AS THE ADHESIVE PROPERTIES AE CONCERNED BUT WE WILL BE ONLY TO HAPPY TO ASSIST WITH SAMPLES FOR TESTING, IF REQUIRED.

REMEMBER, ALSO THAT BAD STORAGE OF OUR PRODUCTS CAN CAUSE PROBLEMS TO THE END USER. WE MANUFACTURE ALL PRODUCTS UNDER CONDITIONS OF CONTROLLED TEMPERATURE, AS TEMPERATURE VARIATIONS CAUSE HARDENING OR SOFTENING OF ADHSIVES. THIS IS A NATURAL PHENOMENOM CAUSED BY INCREASING OR DECREASING MOBILITY OF THE MOLECULES OF THE ADHESIVE COMPONENTS. AT LOW TEMPERATURES SOME OF THE COMPONENTS BECOME HARD AND LOSE TACK PROPERTIES, THOUGH NOT NECESSARILY ADHESION PROPERTIES. AT HIGH TEMPERATURES THE COMPONENTS BECOME MORE MOBILE AND WHILST THIS MAY HAVE THE EFFECT OF INCREASING TACK, THE ADHESIVE AND COHESIVE PROPERTIES ARE LIKELY TO DETERIORATE. THE INCREASED MOBILITY OF THE ADHESIVE CAN ALSO RESULT IN ADHESIVE PENETRATION THROUGH THE FACE PAPER.

THE GOLDEN RULE, THEREFORE, IS TO STORE ALL BONDLABELS PRODUCTS IN DRY CONDITIONS, AND NOT TO EXPOSE OR SUBJECT THE STOCK TO EXTREMES OF TEMPERATURE OR HUMIDITY.

BACKING PAPERS

BLEACHED KRAFT RANGING FROM 62 MICRONS TO 100 MICRONS DEPENDING ON PRODUCT

BONDLABELS LIMITED OPERATES A QUALITY MANAGEMENT SYSTEM WHICH COMPLIES WITH THE REQUIREMENTS OF BS EN ISO 9002: 1994 UNDER CERTIFICATION NO. FM 14421

ADDRESSING RANGE LABELS IN PERFECT REGISTER ON A4 BACKING SHEETS - 100 SHEETS PER BOX LS3863 LS3499 LS2138 LS3464 38mm x 63mm 21mm x 38mm 34mm x 64mm 34mm x 99mm 21 per sheet 65 per sheet 24 per sheet 16 per sheet LS3899 LS4663 LS6372 38mm x 99mm 46mm x 63mm 63mm x 72mm 14 per sheet 18 per sheet 12 per sheet L3570 L35105 L50105

35mm x 70mm

24 per sheet

35mm x 105mm

16 per sheet

50mm x 105mm


10 per sheet

SHIPPING & PARCELLING RANGE LABELS IN PERFECT REGISTER ON A4 BACKING SHEETS - 100 SHEETS PER BOX LS99139 LS5799 LS9399 LS6799 99mm x 139mm 57mm x 99mm 67mm x 99mm 93mm x 99mm 6 per sheet 10 per sheet 8 per sheet 4 per sheet LS143199 LS199289 L95105 L70105 143mm x 199mm 199mm x 289mm 95mm x 105mm 70mm x 105mm 2 per sheet 1 per sheet 6 per sheet 8 per sheet L105149 L140210 L148210 L210297 105mm x 149mm 140mm x 210mm 148mm x 210mm 210mm x 297mm 4 per sheet 2 per sheet 2 per sheet 1 per sheet


MEDIA & FILING RANGE LABELS IN PERFECT REGISTER ON A4 BACKING SHEETS - 100 SHEETS PER BOX LS17145 LS30100 LS4676 17mm x 145mm 46mm x 76mm 30mm x 100mm 16 per sheet 12 per sheet 18 per sheet LS4190 CASSETTE LS60130 LS60200 41mm x 90mm 60mm x 130mm 60mm x 200mm 12 per sheet 6 per sheet 4 per sheet LSCD L5070 L7070 CD/DVD 50mm x 70mm 70mm x70mm 2 per sheet 15 per sheet 12 per sheet

CLIP RANGE CIRCLES


LABELS IN PERFECT REGISTER ON A4 BACKING SHEETS - 200 SHEETS PER BOX




C250 25 mm diameter 70 per sheet




C5<mark>00</mark> 50 mm diameter 15 per sheet




LS200* 20 mm diameter 117 per sheet




C300 30 mm diameter 48 per sheet




C600 60 mm diameter 12 per sheet




LS630* 63 mm diameter 12 per sheet




C350 35 mm diameter 35 per sheet



C650 65 mm diameter 12 per sheet




C450 45 mm diameter 24 per sheet




C900 90 mm diameter 6 per sheet

* 100 SHEETS PER BOX




CLIP RANGE RECTANGLES


LABELS IN PERFECT REGISTER ON A4 BACKING SHEETS - 200 SHEETS PER BOX




C1565 15 mm x 65 mm 44 per sheet




C2<mark>565</mark> 25 mm x 65 mm 28 per sheet




C3090 30 mm x 90 mm 18 per sheet




C2040 20 mm x 40 mm 48 per sheet




C2575 25 mm x 75 mm 21 per sheet




C3550 35 mm x 50 mm 25 per sheet




C2535 25 mm x 35 mm 49 per sheet




C3050 30 mm x 50 mm 30 per sheet




C3565 35 mm x 65 mm 20 per sheet



C2550 25 mm x 50 mm 35 per sheet




C3065 30 mm x 65 mm 24 per sheet




C3575 35 mm x 75 mm 15 per sheet

CLIP RANGE RECTANGLES


LABELS IN PERFECT REGISTER ON A4 BACKING SHEETS - 200 SHEETS PER BOX




C45130 45 mm x 130 mm 8 per sheet




C50195 50 mm x 195 mm 5 per sheet




C95140 95 mm x 140 mm 4 per sheet




C5075 50 mm x 75 mm 10 per sheet




C60140 60 mm x 140 mm 6 per sheet




C140190 140 mm x 190 mm 2 per sheet




C5090 50 mm x 90 mm 10 per sheet



C6595 65 mm x 95 mm 8 per sheet




C190280 190 mm x 280 mm 1 per sheet




D RANGE RECTANGLES


LABELS IN PERFECT REGISTER ON A4 BACKING SHEETS - 200 SHEETS PER BOX




D1537 15 mm x 37 mm 80 per sheet




D2545 25 mm x 45 mm 42 per sheet



D4190 41 mm x 90 mm 12 per sheet




D1547 15 mm x 47 mm 64 per sheet




D3054 30 mm x 54 mm 30 per sheet




D4596 45 mm x 96 mm 12 per sheet




D1762 17 mm x 62 mm 45 per sheet



D3362 33 mm x 62 mm 24 per sheet




D45194 45 mm x 194 mm 6 per sheet



D2254 22 mm x 54 mm 40 per sheet




D3396 33 mm x 96 mm 16 per sheet




D4754 47 mm x 54 mm 20 per sheet

D RANGE RECTANGLES


LABELS IN PERFECT REGISTER ON A4 BACKING SHEETS - 200 SHEETS PER BOX




D6388 63 mm x 88 mm 9 per sheet



D6896 68 mm x 96 mm 8 per sheet




D96139 96 mm x 139 mm 4 per sheet




D139194 139 mm x 194 mm 2 per sheet

DRANGE


LABELS IN PERFECT REGISTER ON A4 BACKING SHEETS - 200 SHEETS PER BOX




D250 25 mm diameter 70 per sheet




D370 37 mm diameter 35 per sheet





D510 51 mm diameter 15 per sheet





D880 88 mm diameter 6 per sheet























DIFFICULT SURFACE CHECKLIST

THE FOLLOWING LISTS SHOULD BE USED AS 'INSTANT INDICATOTRS' BEFORE ORDERING SELF ADHESIVES. IF THERE IS ANY DOUBT, PLEASE MAKE YOUR OWN TESTS TO DETERMINE THE SUITABILITY OF THE ADHESIVE. ALMOST ALL ADHESION COMPLAINTS ARE THE RESULT OF INSUFFICIENT TESTING BEFORE ORDERING.

DIFFICULT PLASTIC SURFACES

POLYCARBONATE

POLYESTER

POLYSTYRENE

P.V.C.

POLYPROPYLENE

FLEXIBLE, THIN POLYTHENE

RIGID POLYTHENE

NYLON COATED, LAMINATED FILMS

(RIGID, BRITTLE CONTAINERS)

(P.E.T. BOTTLTES)

(PHARMACEUTICAL CONTAINERS)

(BOOK COVERS ANF FILM)

(PHARMACEUTICAL CONTAINERS)

(SQUEEZABLE, SOFT BOTTLES, EG. SHAMPOO)

(RIGID CONTAINERS AND DRUMS)

(FISH AND BACON PACKS)

OTHER DIFFICULT SURFACES

ROUGH, PITTED, TEXTURED THE ADHESIVE CAN ONLY STICK TO THE HIGH

POINTS. BEWARE ALSO OF RECYCLED MATERIAL

EG. CORRUGATED BOARD

FRAGILE THE ADHESIVE WILL ONLY BE AS GOOD AS THE

SURFACE STRENGTH OF THE MATERIAL

FIBROUS EG. PAINTED SURFACES, ASBESTOS

DELICATE FINE GLASS AND OPTICAL LENSES MAY BE

WEAKER THAN THE ADHESIVE BOND AND BREAK

UNEVEN WOVEN SACKING, CARPET BACKING PLEATED

WRAPPINGS, CORK, FOAM, UNGLAZED POTTERY

POROUS VERY OPEN PAPER AND BOARD

CURVED UNDULATING AND COMPOUND CONCAVE OR

CONVEX CURVES, INCLUDING SMALL PHIALLS AND

TUBES

ANIMAL SKINS SUEDE, LEATHER, WOOL

TREATED SURFACES

RELEASE COATED SILICONE AND WAXED PAPER

NON - STICK P.T.F.E. COATED HOUSEWARES. STOVE ENAMELLING/

PAINT

ANTI-SCUFF AGENTS PRINTING INKS

SLIP ADDITIVES & ANTI STATIC FILMS

COATINGS

TREATED FABRICS MATERIAL FINISH AND WATERPROOFING

ANTI-CORROSION TREATMENTS FERROUS METALS (IRON/STEEL)

POLISHED HOUSEHOLD OR INDUSTRIAL

BONDLABELS LIMITED ENVIRONMENTAL POLICY

BONDLABELS TAKES ITS ENVIRONMENTAL RESPONSIBILITIES SERIOUSLY AND ALWAYS SEEKS TO MINIMISE THE ENVIRONMENTAL IMPACT OF ITS CONVERTING AND DISTRIBUTION ACTIVITES.

BONDLABELS IS CONTINUALLY LOOKING FOR WAYS TO IMPROVE THE ENVIRONMENT, WHERE THIS CAN BE EFECTED THROUGH ITS OWN ORGANISATION AND/OR THROUGH THE INDUSTRY IN WHICH IT OPERATES.

THE BONDLABELS CONVERTING OPERATION IS NOT SIGNIFICANTLY HARMFUL TO THE ENVIRONMENT, BUT NEVERTHELESS IS COMMITTED TO:

- O MEETING OR EXCEEDING ALL APPLICABLE GOVERNMENT REGULATIONS
- O CONTINUING TO MINIMISE OR ELIMINATE ANY POLLUTION RESULTING FROM ITS OPERATIONS, BY IMPROVING AND EXTENDING THE USE OF NON-POLLUTING TECHNOLOGIES
- o MINIMISING THE USE OF ENERGY
- O MINIMISING THE USE AND WASTE OF RAW MATERIALS IN PRODUCT DESIGN,
 PROCESSES AND PACKAGING
- ADOPTING RAW MATERIALS DERIVED FROM NON-POLLUTING MANUFACTURING SITES, FROM RENEWABLE AND SUSTAINABLE FEEDSTOCK AND FROM RECYCLED MATERIALS, WHERE THESE INGREDIENTS ARE ADEQUATE FOR PERFORMANCE AND THEIR USE IS CONSIDERED TO HAVE BENEFICIAL OVERALL EFFECT ON THE ENVIRONMENT
- O ENCOURAGING THE USE OF PRODUCTS MADE FROM SUCH MATERIALS IN ORDER TO WIDEN THE BENEFICIAL ENVIRONMENTAL EFFECT OF THEIR ADOPTION
- O USING PACKAGING MATERIALS WHICH CONFORM TO ENVIRONMENTALLY DIRECTED STANDARDS FOR RECYCLABILITY AND RE-USE.
- O DEVELOPING AND PRODUCING SPECIAL LABEL PRODUCTS WHICH ARE DESIGNED TO ASSIST OTHERS IN ENVIRONMENTAL ENHANCEMENT, EG. FOR RECYCLING SCHEMES
- PROMOTING THIS POLICY TO ALL EMPLOYEES IN ORDER TO DEVELOP ENVIRONMENTALLY CONSCIOUS WORKING PRACTICES

BONDLABELS PRIORITY ORDER SERVICE (POS)

FOR THOSE LABEL ORDERS WHICH YOUR CUSTOMER NEEDS URGENTLY, WE HAVE INTRODUCED A NEW FAST DELIVERY SERVICE... PRIORITY ORDER SERVICE.

ALL ORDERS RECEIVED BEFORE 3.00PM WILL BE DELIVERED TO ANY UK MAINLAND ADDRESS, THE NEXT WORKING DAY, FOR A SMALL DELIVERY CHARGE OF £10.00.

SO. THINK POSITIVE... THINK PRIORITY ORDER SERVICE.

